

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	600241	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4) and (compar\$3 or comparison or match\$3) and (policy or attribute or characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:37
L4	2354	(711/161.ccls. or 711/162.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:13
L5	77362	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4) and (compar\$3 or comparison or match\$3) with (policy or attribute or characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:14
L6	1753	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4) with (compar\$3 or comparison or match\$3) near6 (policy or attribute or characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:33
L7	13	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4) with (compar\$3 or comparison or match\$3) near6 (policy or attribute or characteristic) and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:19
L8	2743	711/170.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:19
L9	5	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4) with (compar\$3 or comparison or match\$3) near6 (policy or attribute or characteristic) and l8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:19

EAST Search History

L10	3554	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4).ab. and (compar\$3 or comparison or match\$3) near6 (policy or attribute or characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:37
L11	230	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4).ab. and (compar\$3 or comparison or match\$3) near6 (policy or attribute or characteristic) with (select\$4 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:23
L12	158	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4).ab. and (compar\$3 or comparison or match\$3) near6 (policy or attribute or characteristic) near6 (select\$4 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:23
L13	108	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4).ab. and (compar\$3 or comparison or match\$3) near4 (policy or attribute or characteristic) near4 (select\$4 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:24
L15	296	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4).ab. and (policy or attribute or characteristic).ab. and (compar\$3 or comparison or match\$3) near8 (select\$4 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:27
L16	98	((backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4) and (policy or attribute or characteristic) and (compar\$3 or comparison or match\$3) near8 (select\$4 or choos\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:25
L17	66	((backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4) and (policy or attribute or characteristic) with (compar\$3 or comparison or match\$3) with (select\$4 or choos\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:26

EAST Search History

L18	56	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4). ti. and (policy or attrubute or characteristic).ab. and (compar\$3 or comparison or match\$3) near8 (select\$4 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:31
L19	2	"20020143999".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:32
L20	121965	(international business machines or ibm).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:33
L21	10776	20 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:33
L22	56	20 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:33
L23	2926	(backup or back\$3 up or back\$3-up or mirror\$3 or cop\$4 or duplicat\$4) with (compar\$3 or comparison or match\$3) with(policy or attrubute or characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:34
L24	76	20 and 23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:34

EAST Search History

L25	2916	714/4.ccls. or 714/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:37
L26	381471	(backup or back\$3 up or back\$3-up or mirror\$3 or copy\$3 or copied or duplicat\$4) and (compar\$3 or comparison or match\$3) and (policy or attribute or characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:40
L27	520	25 and 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:38
L28	1291	(backup or back\$3 up or back\$3-up or mirror\$3 or copy\$3 or copied or duplicat\$4) with (compar\$3 or comparison or match\$3) near8 (policy or attribute or characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:38
L29	3	25 and 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:38
L30	1835	(backup or back\$3 up or back\$3-up or mirror\$3 or copy\$3 or copied or duplicat\$4) with (compar\$3 or comparison or match\$3) with (policy or attribute or characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:38
L31	5	25 and 30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:38

EAST Search History

L32	4623	((compar\$3 or comparison or match\$3) with ((predefined or predetermined) near4 (policy or attribute or characteristic)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:41
L33	1064	((compar\$3 or comparison or match\$3) with ((predefined or predetermined) near4 (policy or attribute or characteristic))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:42
L34	0	((compar\$3 or comparison or match\$3) with ((predefined or predetermined) near4 (policy or attribute or characteristic))).ab. and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:41
L35	532633	(backup or back\$3 up or back\$3-up or mirror\$3 or copy\$3 or copied or duplicat\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:45
L36	15	33 and 35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:42
L37	20538	((backup or back\$3 up or back\$3-up or mirror\$3 or copy\$3 or copied or duplicat\$4) and (policy or attribute or characteristic)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:45
L38	255	((backup or back\$3 up or back\$3-up or mirror\$3 or copy\$3 or copied or duplicat\$4) and (policy or attribute or characteristic) and (compar\$3 or comparison or match\$3) and (select\$4 or choos\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:46

EAST Search History

L39	45	((backup or back\$3 up or back\$3-up or mirror\$3 or copy\$3 or copied or duplicat\$4) and (policy or attribute or characteristic) with (compar\$3 or comparison or match\$3) with (select\$4 or choos\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:50
L40	2	"6286085".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:52
L41	6	("20020083085" "20030126247" "6286085").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 08:52

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	user near8 (select\$3 or choos\$3) near8 (cop\$3 or mirror\$3) near8 (policy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 10:59

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[? Help](#)

<input type="text"/>	in All Fields	
AND	<input type="text"/>	in All Fields
AND	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

OPTION 2

Enter keywords, phrases, or a Boolean expression

[? Help](#)

(backup or backedup or backup or back up or backed up or backing up or back-up or backed-up or backing-up or mirror* or copy* or copied or duplicat\$4) <sentence> (policy* or attribute* or characteristic*) <sentence> (compar* or match*) 26 hits	
---	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IET Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Standard Status

(Applies to IEEE Standards only)

Status

» Select date range

☐ Search latest content update (13 Aug 2007)
☒ From year to


» Display Format

☒ Citation ☐ Citation & Abstract

» Organize results

Maximum Display results per pageSort by In order

Indexed by


[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE - All Rights Reserved


☐ Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

☒ OPTION 1

Enter keywords or phrases, select fields, and select operators

Help

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

☒ OPTION 2

Enter keywords, phrases, or a Boolean expression

Help

<p>(policy* or attribute* or characteristic*) <near/6> (compar* or match*) <near/6> (select* or choos*)</p> <p style="text-align: right;">18 hits</p>	
---	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IET Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Standard Status

(Applies to IEEE Standards only)

Status

» Select date range

☐ Search latest content update (13 Aug 2007)

☒ From year to

» Display Format

- ☒ Citation
- ☐ Citation & Abstract


» Organize results

Maximum Display results per pageSort by In order

ACM Search

+abstract:policy* +abstract:compar* +abstract:back* ... 9 hits

+abstract:policy* +abstract:compar* +abstract:copy* ... 7 hits


8/15/07